Contents of Volume

Volume 45 No. 1

SCIENCE FOR ENVIRONMENTAL TECHNOLOGY

1 Correlation of aerobic biodegradability of sulfonated azo dyes with the chemical structure
T. SUZUKI (Japan), S. TIMOFEI, L. KURUNCZI (Romania), U. DIETZE & G. SCHÜÜRMANN (Germany)

11 Enhanced degradation of polycyclic aromatic hydrocarbons by biodegradation combined with a modified Fenton reaction
K. NAM (South Korea), W. RODRIGUEZ & J. J. KUKOR (USA)

21 EDTA and HEDTA effects on Cd, Cr, and Ni uptake by *Helianthus annuus*
H. CHEN & T. CUTRIGHT (USA)

29 Intermediate inhibition in the heterogeneous UV-catalysis using a TiO_2 suspension system
Y.-C. CHAN, J.-N. CHEN & M.-C. LU (Taiwan, ROC)

37 Electrochemical oxidation of bisphenol A. Application to the removal of bisphenol A using a carbon fiber electrode
H. KURAMITZ, Y. NAKATA, M. KAWASAKI & S. TANAKA (Japan)

45 Aerobic dehalogenation potentials of four bacterial species isolated from soil and sewage sludge
A. O. OLANIRAN, G. O. BABALOLA & A. I. OKOH (Nigeria)

51 Adsorption of acid dye onto activated carbons prepared from agricultural waste bagasse by $ZnCl_2$ activation
W. T. TSAI, C. Y. CHANG, M. C. LIN, S. F. CHIEN, H. F. SUN & M. F. HSIEH (Taiwan, ROC)

59 Substituent effects on azo dye oxidation by the Fe^{III}–EDTA–H_2O_2 system
S. NAM, V. RENGANATHAN & P. G. TRATNYEK (USA)

67 Effects of a non-ionic surfactant (Tween-80) on the mineralization, metabolism and uptake of phenanthrene in wheat–solution–lava microcosm
Y. LI (People's Republic of China), A. YEDILER (Germany), Z. OU (People's Republic of China), I. CONRAD & A. KETTRUP (Germany)

77 Solar photocatalytic decolorization of methylene blue in water
W. S. KUO & P. H. HO (Taiwan, ROC)

85 Kinetic model for phenolic compound oxidation by Fenton's reagent
J. B. DE HEREDIA, J. TORREGROSA, J. R. DOMINGUEZ (Spain) & J. A. PERES (Portugal)

91 Comparisons of metal leachability for various wastes by extraction and leaching methods
E. E. CHANG, P. C. CHIANG, P. H. LU & Y. W. KO (Taiwan, ROC)

101 Degradation of ethylene glycol using Fenton's reagent and UV
B. DIETRICK MCGINNIS, V. D. ADAMS & E. J. MIDDLEBROOKS (USA)

109 The fate of linear alcohol ethoxylates during activated sludge sewage treatment
N. S. BATTERSBY, A. J. SHERREN, R. N. BUMPUS, R. EAGLE & I. K. MOLADE (UK)

123 Speciation and mobility of cadmium in straw and wood combustion fly ash
H. K. HANSEN, A. J. PEDERSEN, L. M. OTTOSEN & A. VILLUMSEN (Denmark)

Volume 45 No. 2

PERSISTENT ORGANIC POLLUTANTS AND DIOXINS

129 PCDD/DF formations by the heterogeneous thermal reactions of phenols and their TiO_2 photocatalytic degradation by batch-recycle system
H. MUTO, K. SAITOH & H. FUNAYAMA (Japan)

137 Synthesis of polychlorinated biphenyls (PCBs) using the Suzuki-coupling
H.-J. LEHMLER & L. W. ROBERTSON (USA)

145 Polychlorinated dibenzo-*p*-dioxins and dibenzofurans in plywood combustion gas
H. MUTO & T. SUGAWARA (Japan)

151 Quantitative structure–property relationships (QSPRs) on direct photolysis of PCDDs
J. CHEN (People's Republic of China, Germany), X. QUAN (People's Republic of China), K.-W. SCHRAMM, A. KETTRUP (Germany) & F. YANG (People's Republic of China)

161 Atmospheric fate and transport of dioxins: local impacts
K. LOHMAN & C. SEIGNEUR (USA)

173 Congener-specific characterization of PCDDs/PCDFs in atmospheric deposition: comparison of profiles among deposition, source, and environmental sink
I. OGURA, S. MASUNAGA & J. NAKANISHI (Japan)

185 Vitamin and thyroid status in arctic grayling (*Thymallus arcticus*) exposed to doses of 3,3′,4,4′-tetrachlorobiphenyl that induce the phase I enzyme system
V. P. PALACE (Canada), S. M. ALLEN-GIL (USA), S. B. BROWN, R. E. EVANS, D. A. METNER (Canada), D. H. LANDERS, L. R. CURTIS (USA), J. F. KLAVERKAMP, C. L. BARON & W. LYLE LOCKHART (Canada)

195 Enhancement in fecal excretion of dioxin isomer in mice by several dietary fibers
O. AOZASA, S. OHTA, T. NAKAO, H. MIYATA & T. NOMURA (Japan)

201 The influence of dietary concentration on the absorption and excretion of persistent lipophilic organic pollutants in the human intestinal tract
G. A. MOSER & M. S. MCLACHLAN (Germany)

213 Reliable QSAR for estimating K_{oc} for persistent organic pollutants: correlation with molecular connectivity indices
J. R. BAKER, J. R. MIHELCIC (USA) & A. SABLJIC (Croatia)

223 Correlation of gas chromatographic properties of chlorobenzenes and polychlorinated biphenyls with the occurrence of reductive dechlorination by untamed microorganisms
I.-M. CHEN, F.-C. CHANG & Y.-S. WANG (Taiwan, ROC)

Volume 45 No. 3

ENVIRONMENTAL CHEMISTRY

231 Effects of selected metal ions on photodegradation of organophosphorus pesticides sensitized by humic acids
M. KAMIYA & K. KAMEYAMA (Japan)

237 Seasonal patterns of non-terpenoid C_6–C_{10} VOC emission from seven Mediterranean woody species
J. PEÑUELAS & J. LLUSIÀ (Spain)

245 The occurrence of xenoestrogens in the Elbe river and the North Sea
O. P. HEEMKEN, H. REINCKE, B. STACHEL & N. THEOBALD (Germany)

261 Isomer specific syntheses of chlorinated catechols and guaiacols relevant to pulp bleaching
A. B. MCKAGUE & D. R. TAYLOR (Canada)

269 Formation of volatile halogenated by-products during chlorination of isoproturon aqueous solutions
A. LOPEZ, G. MASCOLO, R. CIANNARELLA & G. TIRAVANTI (Italy)

275 Comparison of methods for determination of volatile organic compounds in drinking water
S. K. GOLFINOPOULOS, T. D. LEKKAS & A. D. NIKOLAOU (Greece)

285 Pyrolysis of oil sludge in a fluidised bed reactor
H. SCHMIDT & W. KAMINSKY (Germany)

291 Patterns in content of phenolic compounds in leaves of mountain birches along a strong pollution gradient
J. LOPONEN, K. LEMPA, V. OSSIPOV, M. V. KOZLOV, A. GIRS, K. HANGASMAA, E. HAUKIOJA & K. PIHLAJA (Finland)

303 Investigation of the permeability of humic molecules using zeta potential measurements
P. WARWICK, A. HALL, V. PASHLEY & N. BRYAN (UK)

309 The Henry's law coefficient of 2-nitrophenol over the temperature range 278–303 K
B. MÜLLER & M. R. HEAL (UK)

315 Chemical characteristics of organic aerosol in Bab-Ezzouar (Algiers). Contribution of bituminous product manufacture
N. YASSAA, B. Y. MEKLATI (Algeria), A. CECINATO & F. MARINO (Italy)

323 Investigations on the sorption of phenols to dissolved organic matter by a QSAR study
G. OHLENBUSCH & F. H. FRIMMEL (Germany)

329 The evolution of the pH in Europe (1986–1997) using panel data
E. MARÍN, T. PÉREZ-AMARAL, A. RÚA & E. HERNÁNDEZ (Spain)

339 A review of the environmental fate and aquatic effects of a series of C4 and C8 oxo-process chemicals
C. A. STAPLES (USA)

347 Sources of PM_{10} and sulfate aerosol at McMurdo station, Antarctica
D. M. MAZZERA, D. H. LOWENTHAL, J. C. CHOW & J. G. WATSON (USA)

357 Humic complexes of diethyl phthalate: molecular modelling of the sorption process
H.-R. SCHULTEN (Germany), M. THOMSEN & L. CARLSEN (Denmark)

371 Depth profiles of volatile halogenated hydrocarbons in seawater in the Bay of Bengal
H. YAMAMOTO, Y. YOKOUCHI, A. OTSUKI & H. ITOH (Japan)

379 Factors on the formation of disinfection by-products MX, DCA and TCA by chlorination of fulvic acid from lake sediments
C. ZHUO, Y. CHENGYONG, L. JUNHE, Z. HUIXIAN & Z. JINQI (People's Republic of China)

387 Fate of the herbicide ^{14}C-terbuthylazine in Brazilian soils under various climatic conditions
T. LANGENBACH (Brazil), R. SCHROLL & I. SCHEUNERT (Germany)

Volume 45 Nos. 4–5

ENVIRONMENTAL TOXICOLOGY AND RISK ASSESSMENT

399 Ecocytological and toxicological responses to copper in *Perna viridis* (L.) (Bivalvia: Mytilidae) haemocyte lysosomal membranes
S. NICHOLSON (Hong Kong)

409 DDT contamination in Lake Maggiore (N. Italy) and effects on zebra mussel spawning
A. BINELLI, R. BACCHETTA, G. VAILATI, S. GALASSI & A. PROVINI (Italy)

417 Pesticide influence on soil enzymatic activities
F. SANNINO & L. GIANFREDA (Italy)

427 Pollution-induced community tolerance (PICT) and seasonal variations in the sensitivity of phytoplankton to atrazine in nanocosms
A. BÉRARD (France) & C. BENNINGHOFF (Switzerland)

439 Bioavailability of PAHs in the Biobio river (Chile): MFO activity and biliary fluorescence in juvenile *Oncorhynchus mykiss*
R. BARRA (Chile), J. C. SANCHEZ-HERNANDEZ (Spain), R. ORREGO, O. PARRA & J. F. GAVILAN (Chile)

445 Microbial ecotoxicity and mutagenicity of 1-hydroxypyrene and its photoproducts
H.-M. HWANG, X. SHI, I. ERO, A. JAYASINGHE, S. DONG & H. YU (USA)

453 Bioavailability of atrazine, pyrene and benzo[a]pyrene in European river waters
J. AKKANEN, S. PENTTINEN (Finland), M. HAITZER (USA) & J. V. K. KUKKONEN (Finland)

463 Synergistic cytotoxicity between pentachlorophenol and copper in a bacterial model
B.-Z. ZHU, S. SHECHTMAN & M. CHEVION (Israel)

471 Derivation of ambient water quality criteria for formaldehyde
D. W. HOHREITER & D. K. RIGG (USA)

487 Embryonic development assay with *Daphnia magna*: application to toxicity of aniline derivatives
T. ABE, H. SAITO, Y. NIIKURA, T. SHIGEOKA & Y. NAKANO (Japan)

497 Effect of pulse frequency and interval on the toxicity of chlorpyrifos to *Daphnia magna*
R. B. NADDY & S. J. KLAINE (USA)

507 Zinc acclimation and its effect on the zinc tolerance of *Raphidocelis subcapitata* and *Chlorella vulgaris* in laboratory experiments
B. T. A. MUYSSEN & C. R. JANSSEN (Belgium)

515 Degradation in soil and water and ecotoxicity of rimsulfuron and its metabolites
J. M. F. MARTINS, N. CHEVRE, L. SPACK, J. TARRADELLAS & A. MERMOUD (Switzerland)

523 Immunolocalization of non-extractable (bound) residues of pesticides and industrial contaminants in plants and soil
A. DANKWARDT & B. HOCK (Germany)

535 Morphological effects of Bisphenol-A on the early life stages of medaka (*Oryzias latipes*)
S. D. PASTVA, S. ALEX VILLALOBOS, K. KANNAN & J. P. GIESY (USA)

543 Comparison of spray drift- and runoff-related input of azinphos-methyl and endosulfan from fruit orchards into the Lourens River, South Africa
R. SCHULZ (South Africa)

553 Lactate dehydrogenase activity as an effect criterion in toxicity tests with *Daphnia magna* straus
T. C. DIAMANTINO, E. ALMEIDA, A. M. V. M. SOARES & L. GUILHERMINO (Portugal)

561 Size-dependent concentrations of trace metals in four Mediterranean gastropods
F. CUBADDA, M. E. CONTI & L. CAMPANELLA (Italy)

571 Toxlcity of waters from two streams to early life stages of brown trout (*Salmo trutta* f. *fario* L.), tested under semi-field conditions
T. LUCKENBACH, R. TRIEBSKORN, E. MÜLLER & A. OBEREMM (Germany)

581 Microsomal monooxygenase activity in *Tilapia* (*Oreochromis mossambicus*) exposed to a bleached kraft mill effluent using different exposure systems
C.-M. CHEN, M. C. LIU, M. L. SHIH, S.-C. YU, C.-C. YEH, S. T. LEE, T.-Y. YANG & S.-J. HUNG (Taiwan, ROC)

589 Evaluation of different algal species sensitivity to mercury and metolachlor by PAM-fluorometry
P. JUNEAU, D. DEWEZ (Canada), S. MATSUI (Japan), S.-G. KIM (South Korea) & R. POPOVIC (Canada)

599 Phagocytic response of macrophages from the pronephros of American plaice (*Hipoglossoides platessoides*) exposed to contaminated sediments from Baie des Anglais, Quebec
A. LACROIX, M. FOURNIER, M. LEBEUF (Canada), J. J. NAGLER (Canada, USA) & D. G. CYR (Canada)

609 Biological and chemical analysis of the toxic potency of pesticides in rainwater
T. HAMERS, M. G. D. SMIT, A. J. MURK & J. H. KOEMAN (The Netherlands)

625 Effects of sludge-amendment on mineralization of pyrene and microorganisms in sludge and soil
C. KLINGE, B. GEJLSBJERG, F. EKELUND & T. MADSEN (Denmark)

635 Automated color correction method for *Vibrio fischeri* toxicity test. Comparison of standard and kinetic assays
J. LAPPALAINEN, R. JUVONEN, J. NURMI & M. KARP (Finland)

643 Seasonal bioavailability of sediment-associated heavy metals along the Mississippi river floodplain
L. A. GRABOWSKI, J. L. J. HOUPIS, W. I. WOODS & K. A. JOHNSON (USA)

653 Comparative toxicity of acrylic acid to marine and freshwater microalgae and the significance for environmental effects assessments
L. E. SVERDRUP, T. KÄLLQVIST, A. E. KELLEY, C. S. FÜRST & S. B. HAGEN (Norway)

659 Statistical analysis of regulatory ecotoxicity tests
P. ISNARD, P. FLAMMARION, G. ROMAN, M. BABUT, PH. BASTIEN, S. BINTEIN, L. ESSERMÉANT, J. F. FÉRARD, S. GALLOTTI-SCHMITT (France), E. SAOUTER (Belgium), M. SAROLI, H. THIÉBAUD, R. TOMASSONE & E. VINDIMIAN (France)

671 Glutathione-dependent resistance of the European eel *Anguilla anguilla* to the herbicide molinate
S. PEÑA-LLOPIS, J.B. PEÑA, E. SANCHO, C. FERNÁNDEZ-VEGA & M. D. FERRANDO (Spain)

683 Photoinduced toxicity of retene to *Daphnia magna* under enhanced UV-B radiation
P. S. HUOVINEN, M. R. SOIMASUO & A. O. J. OIKARI (Finland)

693 The disposition and metabolism of tetrabromobisphenol-A after a single i.p. dose in the rat
J. A. SZYMAŃSKA, A. SAPOTA & B. FRYDRYCH (Poland)

701 Erratum to "Effects of Bisphenol A on energy balance and accumulation in brown adipose tissue in rats" [Chemosphere 42 (2001) 917–922]
A. A. NUNEZ, K. KANNAN, J. P. GIESY, J. FANG & L. G. CLEMENS (USA)

703 Erratum to "Passenger aircraft cabin air quality: trends, effects, societal costs, proposals" [Chemosphere 41 (2000) 603–615]
M. B. HOCKING (Canada)

Volume 45 Nos. 6–7

ENVIRONMENTAL CHEMISTRY

705 Occurrence of polycyclic aromatic hydrocarbons in sewage sludge and their contribution to its toxicity in the ToxAlert® 100 bioassay
S. PÉREZ, M. FARRÉ, M. J. GARCÍA & D. BARCELÓ (Spain)

713 A comparison of the effects of organophosphate insecticide exposure and temperature stress on fluctuating asymmetry and life history traits in *Culex quinquefasciatus*
M. MPHO, G. J. HOLLOWAY & A. CALLAGHAN (UK)

721 Application of different RP-HPLC methods for the determination of the octanol/water partition coefficient of selected tetrachlorobenzyltoluenes
A. PASCHKE, M. MANZ & G. SCHÜÜRMANN (Germany)

729 Vapor pressures of carboxylic acid esters including pyrethroids: measurement and estimation from molecular structure
M. TSUZUKI (Japan)

737 Soil phosphorus fractions in solution: influence of fertiliser and manure, filtration and method of determination
R. W. MCDOWELL & A. N. SHARPLEY (USA)

749 First report on chlorinated pesticide deposition in a sediment core from a small lake in central Chile
R. BARRA, M. CISTERNAS, R. URRUTIA, K. POZO, P. PACHECO, O. PARRA (Chile) & S. FOCARDI (Italy)

759 Process-diagnostic patterns of chlorobiphenyl congeners in two radiochronologically characterized sediment cores from the northern Baffin Bay
Ö. GUSTAFSSON, J. AXELMAN, D. BROMAN, M. ERIKSSON (Sweden) & H. DAHLGAARD (Denmark)

767 Sorption of weak organic acids in soils: clofencet, 2,4-D and salicylic acid
I. G. DUBUS, E. BARRIUSO & R. CALVET (France)

775 Mineralisation studies of ^{14}C-labelled metsulfuron-methyl, tribenuron-methyl, chlorsulfuron and thifensulfuron-methyl in one Danish soil and groundwater sediment profile
S. M. ANDERSEN, P. B. HERTZ, T. HOLST, R. BOSSI & C. S. JACOBSEN (Denmark)

783 Biodegradation and transfer of ingested 2,4-D herbicide by a polyphagous saturniid caterpillar
R. DEML & K. DETTNER (Germany)

791 Particle size distribution and anion content at a traffic site in Sha-Lu, Taiwan
K.-F. CHANG, G.-C. FANG, C.-S. LU & H.-L. BAI (Raiwan, ROC)

801 Atmospheric mercury levels in the Slovak Republic
V. HLADÍKOVÁ, J. PETRÍK, S. JURSA, M. URSÍNYOVÁ & A. KOČAN (Slovak Republic)

807 Chemistry of surface water at a volcanic summit area, Norikura, Central Japan: Multivariate statistical approach
K. ANAZAWA & H. OHMORI (Japan)

817 Nonylphenols, nonylphenol-ethoxylates, linear alkylbenzenesulfonates (LAS) and bis (4-chlorophenyl)-sulfone in the German Bight of the North Sea
K. BESTER, N. THEOBALD & H. FR. SCHRÖDER (Germany)

827 Seasonal variations in phosphorus species in the surface sediments of the Gulf of Riga, Baltic Sea
J. AIGARS (Latvia)

835 Biotransformation of *p*-toluic acid in anoxic estuarine sediments under a CO_2 or N_2/H_2 atmosphere
C.-E. KUO, W.-C. CHI & S.-M. LIU (Taiwan, ROC)

843 Chiral analysis of organochlorine pesticides in Alabama soils
K. WIBERG (Sweden), T. HARNER, J. L. WIDEMAN & T. F. BIDLEMAN (Canada)

849 Microbial dechlorination of three PCB congeners in river sediment
B. V. CHANG, W. G. LIU & S. Y. YUAN (Taiwan, ROC)

857 Screening of compost for PAHs and pesticides using static subcritical water extraction
A. E. MCGOWIN, K. K. ADOM & A. K. OBUBUAFO (USA)

865 Molecular size distribution of natural organic matter in raw and drinking waters
T. K. NISSINEN, I. T. MIETTINEN, P. J. MARTIKAINEN & T. VARTIAINEN (Finland)

875 Dissipation of triadimefon on the solid/gas interface
J. P. DA SILVA, A. M. DA SILVA & I. V. KHMELINSKII (Portugal)

881 Adsorption of metal–ethylenediaminetetraacetic acid chelates onto lake sediment
M. SILLANPÄÄ & J. RÄMÖ (Finland)

887 Pinonaldehyde and some other organics in rain and snow in central Japan
H. SATSUMABAYASHI, H. NISHIZAWA, Y. YOKOUCHI & H. UEDA (Japan)

893 Phenol photonitration upon UV irradiation of nitrite in aqueous solution I: Effects of oxygen and 2-propanol
D. VIONE, V. MAURINO, C. MINERO & E. PELIZZETTI (Italy)

903 Phenol photonitration upon UV irradiation of nitrite in aqueous solution II: effects of pH and TiO_2
D. VIONE, V. MAURINO, C. MINERO & E. PELIZZETTI (Italy)

911 Monitoring method for airborne glymes and its application in fuel exhaust emission measurement
X.-L. CAO & J. ZHU (Canada)

919 Heavy metal contents in the Delft canal sediments and suspended solids of the River Rhine: multivariate analysis for source tracing
W. QU (Australia) & P. KELDERMAN (Netherlands)

927 Mineralization of aged atrazine and mecoprop in soil and aquifer chalk
G. B. KRISTENSEN, H. JOHANNESEN & J. AAMAND (Denmark)

935 Daily trend of dissolved gaseous mercury concentration in coastal seawater of the Mediterranean basin
E. LANZILLOTTA & R. FERRARA (Italy)

941 Influence of biotic and abiotic factors on dissipating metalaxyl in soil
P. SUKUL & M. SPITELLER (Germany)

949 Photodegradation of ethylenediaminetetraacetic acid (EDTA) and ethylenediamine disuccinic acid (EDDS) within natural UV radiation range
S. METSÄRINNE, T. TUHKANEN & R. AKSELA (Finland)

957 Drugs in the environment: emission of drugs, diagnostic aids and disinfectants into wastewater by hospitals in relation to other sources – a review
K. KÜMMERER (Germany)

971 META V. A model of photodegradation for the prediction of photoproducts of chemicals under natural-like conditions
A. SEDYKH, R. SAIAKHOV & G. KLOPMAN (USA)

983 Primary biodegradability of mineral base oils in relation to their chemical and physical characteristics
F. HAUS, J. GERMAN & G.-A. JUNTER (France)

991 Environmental distribution of mercury and other trace elements in the geothermal area of Bagnore (Mt. Amiata, Italy)
S. LOPPI (Italy)

997 Photooxidation of the phenylazonaphthol AO20 on TIO_2: kinetic and mechanistic investigations
C. GALINDO, P. JACQUES & A. KALT (France)

1007 Characterization of organic matter in pristine and contaminated coastal marine sediments using solid-state ^{13}C NMR, pyrolytic and thermochemolytic methods: a case study in the San Diego harbor area
A. P. DESHMUKH, B. CHEFETZ & P. G. HATCHER (USA)

1023 Alkaline hydrolysis of humic substances – spectroscopic and chromatographic investigations
M. U. KUMKE, C. H. SPECHT, T. BRINKMANN & F. H. FRIMMEL (Germany)

1033 Long-term investigation of atmospheric mercury contamination in Connecticut
F. NADIM, C. PERKINS, S. LIU, R. J. CARLEY & G. E. HOAG (USA)

1045 Materials selection for a dry atmospheric mercury deposits sampler
X. RONG, D. WAITE, G. H. HUANG, L. TONG & B. KYBETT (Canada)

1053 Distribution and diagenesis of organic and inorganic phosphorus in sediments of the Baltic proper
G. EDLUND & R. CARMAN (Sweden)

1063 Estimating temperature dependence of solubility and octanol–water partition coefficient for organic compounds using RP-HPLC
A. FINIZIO & A. DI GUARDO (Italy)

1071 Carbon monoxide modeling from transportation sources
P. MUKHERJEE & S. VISWANATHAN (Singapore)

1085 Assessing the aerobic biodegradability of 14 hydrocarbons in two soils using a simple microcosm/respiration method
R. A. MILES & W. J. DOUCETTE (USA)

1091 Controlling mechanisms of aluminium in soil solution – an evaluation of 180 podzolic forest soils
P. VAN HEES, U. LUNDSTRÖM, R. DANIELSSON & L. NYBERG (Sweden)

1103 Transformations of elemental mercury to inorganic and organic forms in mercury and hydrocarbon co-contaminated soils
A. J. RENNEBERG & M. J. DUDAS (Canada)

Volume 45 No. 8

PERSISTENT ORGANIC POLLUTANTS AND DIOXINS

1111 Formation characteristics of PCDD and PCDF during pyrolysis processes
R. WEBER & T. SAKURAI (Japan)

1119 Synthesis of hydroxylated PCB metabolites with the Suzuki-coupling
H.-J. LEHMLER & L. W. ROBERTSON (USA)

1129 Update of daily intake of PCDDs, PCDFs, and dioxin-like PCBs from food in Japan
T. TSUTSUMI, T. YANAGI, M. NAKAMURA, Y. KONO, H. UCHIBE, T. IIDA, T. HORI, R. NAKAGAWA, K. TOBIISHI, R. MATSUDA, K. SASAKI & M. TOYODA (Japan)

1139 Interlaboratory comparison exercise for the analysis of PCDD/Fs in samples of digested sewage sludge
J. L. STEVENS, N. J. L. GREEN, R. J. BOWATER & K. C. JONES (UK)

1151 Memory effect on the dioxin emissions from municipal waste incinerator in Taiwan
M. B. CHANG & J. J. LIN (Taiwan, ROC)

1159 Combined steam distillation and electrochemical peroxidation (ECP) treatment of river sediment contaminated by PCBs
J. R. CHIARENZELLI, R. J. SCRUDATO, M. L. WUNDERLICH & J. J. PAGANO (USA)

1167 Effects of dioxins and polychlorinated biphenyls (PCBs) on thyroid function in infants born in Japan – the second report from research on environmental health
N. MATSUURA, T. UCHIYAMA, H. TADA, Y. NAKAMURA, N. KONDO, M. MORITA & M. FUKUSHI (Japan)

1173 The relative contribution of wood and poly(vinyl chloride) to emissions of PCDD and PCDF from house fires
W. F. CARROLL (USA)

1181 Global-scale environmental transport of persistent organic pollutants
A. S. KOZIOL & J. A. PUDYKIEWICZ (Canada)

1201 A comparison of mussels (*Perna viridis*) and semi-permeable membrane devices (SPMDs) for monitoring chlorinated trace organic contaminants in Hong Kong coastal waters
B. J. RICHARDSON, G. J. ZHENG, E. S. C. TSE & P. K. S. LAM (Hong Kong)

1209 Validation of modeling approach to evaluate congener-specific concentrations of polychlorinated dibenzo-*p*-dioxins and dibenzofurans in air and soil near a solid waste incinerator
K. YOSHIDA, S. IKEDA, J. NAKANISHI & N. TSUZUKI (Japan)